

BROCK

BANTAM MK2 & SNIPER HR



Ballistic Polymer or Grey Laminate wood stock with adjustable cheekpiece

11mm dovetail scope mounting with optional 20mm picatinny rails available

Sidebolt cocking

Adjustable two-stage trigger

Huma-Air Regulator with integral manometer

Power adjuster



Integral silencer with threaded muzzle

10-shot auto indexing mag-feed or single-shot feed (magazine and loading tray provided)

480cc carbon-fibre bottle (Hi-Lite model) or 500cc alloy bottle (400cc on 12 ft/lb model)

Optional Picatinny Forend Rail

Resettable safety catch

34.6ins (880mm)

As the flagship of Brocock's innovative semi-bullpup range, the Bantam offers the perfect platform to push the boundaries of PCP air rifle design even further – with the Mk2 and Sniper HR models reflecting Brocock's commitment to building class-leading precharged pneumatic (PCP) air rifles for the discerning airgunner.

Setting a new standard, the Bantam Mk2 gives up none of the features that won so many plaudits for the original, slick-handling Bantam, like its on-the-fly power adjuster, removable 10-shot magazine, choked barrel with integral shrouded silencer and adjustable trigger. It also features a new and improved hammer and valve system that improves air efficiency and shot consistency well beyond that associated with other non-regulated PCPs.

The Sniper HR model takes this a step further by incorporating a highly advanced regulator system developed exclusively with Huma-Air. When paired with the Bantam's latest hammer and valve, this precisely meters the air release to totally eradicate the usual 'power curve' that unregulated PCPs suffer from. The result of this measured air control ensures minimal shot-to-shot deviation as the rifle cycles through its usable air charge, improving downrange accuracy and returning an even higher number of shots from each fill-up - a big bonus for those who opt for the rifle in its high-power formats.

Both the Bantam Mk2 and Bantam Sniper HR models can be configured with a choice of synthetic or wood laminate stocks, mini short shroud and a variety of bottle and power options.

HUMA-AIR
REGULATED

Technical Specifications

Action:	Semi-bullpup precharged pneumatic (PCP)
Maximum power:	Models available at 12, 18, 30, 46ft/lb
Shots per charge MK2:	Up to 450 shots in .22 cal @ 12ft/lb; 90 shots in .22 30ft/lb; 45 shots in .25 50ft/lb
Shots per charge Sniper HR:	Up to 460 shots in .22 cal @ 12ft/lb; 120 shots in .22 30ft/lb; 75 shots in .25 46ft/lb
Length:	34.6ins (880mm)
Weight:	From 6.9lbs (3.15kg)
Calibre Options:	.177 (4.5mm); .22 (5.5mm) or .25 (6.35mm)

Latest and full specifications available at brocock.co.uk

*Scope and mounts are not included, but are available from MTC Optics/Brocock stockists

COMMANDER

HR



CNC machined Picatinny top & optional side rails

Sidebolt cocking

Synthetic or Cerakote stock options

Adjustable two-stage trigger

Huma-Air Regulator with integral manometer

Power adjuster

Foldable butt option for 'export' models



Threaded muzzle

10-shot auto indexing mag-feed or single-shot feed (magazine and loading tray provided)

480cc carbon-fibre bottle (Hi-Lite model) or 500cc alloy bottle (400cc on 12 ft/lb model)

Picatinny Forend Rail

Resettable safety catch

36ins (915mm)

The multi-shot Commander HR matches performance and style in one, highly practical and versatile package, ensuring the wide range appeal of this innovative multi-shot precharged pneumatic (PCP).

At the heart of its buddy-bottle action, and discernible by way of its twin air gauges, the Commander incorporates a Huma-Air regulator that is an exclusive standard fit in our rifles. This integrates with the rifle's redesigned hammer and valve system to precisely meter air release and eradicate the 'power curve' usually associated with unregulated PCPs, resulting in a rifle that's capable of up to 46ft/lb of power, with a shot-count in excess of 500 per charge (according to configuration).

Available in black and Cerakote finishes, the Commander offers a choice of alloy buddy-bottle options (400 or 500cc), with a high capacity carbon-fibre unit on the super-lightweight Hi-Lite version. To maximise handling and target acquisition, the Commander features an ergonomic drop-down pistol grip and retractable stock for quick pull-length adjustment, while the butt can also be folded on some 'export' models to make it even more compact.

In keeping with its tactical looks, the Commander sports a number of practical features, from its metal CNC machined Picatinny scope and accessory rails (with a tri-plate accessory rail option), through its in-guard manual safety catch and on-the-fly power adjuster, to its fast-throw sidebolt – the latter allowing quick cycling of the 10-shot, removable rotary magazine. A single-shot tray is supplied for more deliberate loading,

however. Further hi-tech features come in the shape of a full-length barrel shroud, integral reflex silencer and ported muzzle brake – all designed to maximise all the accuracy on offer from the Commander's choked rifle barrel, regulated action and totally recoil-free firing cycle.



Technical Specifications

Action:	Buddy-bottle precharged pneumatic (PCP)
Maximum power:	Models available at 12, 18, 30, 46ft/lb (on 'Hi' power setting)
Shots per charge:	Up to 460 shots in .22 cal @ 12ft/lb; 120 shots in .22 30ft/lb; 75 shots in .25 46ft/lb
Length:	Fixed stock model - 35.5-38.5ins (900-980mm) Folding stock model - 25.2-36ins (640-915mm)
Weight:	From 6.6lbs (3.05kg)
Calibre options:	.177 (4.5mm); .22 (5.5mm) or .25 (6.35mm)

Latest and full specifications available at brocock.co.uk

*Scope and mounts are not included, but are available from MTC Optics/Brocock stockists



COMPATTO

MK2 & SNIPER HR



11mm dovetail scope mounting with optional 20mm picatinny rails available

Sidebolt cocking

Ballistic Polymer stock with optional soft touch stock available

Power adjuster

Adjustable two-stage trigger

10-shot auto indexing mag-feed or single-shot feed (magazine and loading tray provided)

150cc air cylinder

Integrated Picatinny Forend Rail

Resettable safety catch

34ins (864mm)

The original Compatto launched our innovative semi-bullpup concept, and the latest 'Mk 2' iteration builds on the rifle's success by way of numerous performance-enhancing updates. There's also a regulated model in the Compatto line-up – the Sniper HR.

Both the Mk2 and Sniper HR models feature a black synthetic, ambidextrous thumbhole stock that sports a height-adjustable butt pad and integral accessory rail, and a 'Soft Touch' version for extra grip is also available. All versions feature on-the-fly power adjuster, choked rifle barrel and a two-stage, adjustable trigger in a choice of three calibres and numerous power configurations.

The Mk2 features a 10-shot rotary magazine as well as revamped hammer and valving that improve both shot-count and consistency, making it ideal for those hunters who want a hard-hitting, but light and compact carbine for every conceivable field scenario.

The Sniper HR version features a regulator that's been co-developed with Huma-Air to satisfy those shooters who seek a lightweight sporter that performs to the absolute maximum. Matched to the Compatto's updated valve system, the Sniper HR offers even more shots per fill-up from its semi-bullpup action, along with a 'sweet spot' power curve that spans its entire shot-count. In short, the Sniper HR delivers the ultimate accuracy for the most distant of targets, whether they be feather, fur, metal or paper.



Technical Specifications

Action:	Semi-bullpup precharged pneumatic (PCP)
Maximum power:	Models available at 12, 18, 30 and 40ft/lb
Shots per charge MK2:	Up to 100 shots in .22 cal @ 12ft/lb; 35 shots in .22 30ft/lb; 25 shots in .25 40ft/lb
Shots per charge Sniper HR:	Up to 130 shots .22cal 12 ft/lb; 40 shots .22cal 30 ft/lb; 28 shots .25cal 40 ft/lb
Length:	34ins (864mm)
Weight:	7lb (3.2kg)
Calibre Options:	.177 (4.5mm); .22 (5.5mm) or .25 (6.35mm)

Latest and full specifications available at brocock.co.uk

*Scope and mounts are not included, but are available from MTC Optics/Brocock stockists

BROCOCK

CONCEPT-LITE



The newest model to Brocock's expanding catalogue, this rifle's names says it all: 'Concept' because this innovative semi-bullpup PCP can be adapted to suit any shooting scenario you require of it, and 'Lite' because, in its base configuration, the rifle tips the scales at under three kilos!

Sporting a telescopic rifle butt for easy storage and tailored gunfit, a synthetic AK-style pistol grip for improved handling and optional three, Picatinny forend rails for the fitting of numerous accessories and a silencer-ready threaded muzzle, the Concept-Lite is the ideal choice for hunters looking for a compact, powerful and highly-adaptable carbine.

At the heart of its action beats a Huma-Air regulator to ensure super-consistent velocities and a high shots-per-charge count, while an on-board power adjuster lets the user choose a higher or lower power output while in the field.

Supplied in a choice of three calibres, the Concept-Lite runs Brocock's latest 10-shot, removable rotary magazine, indexed automatically at the speedy throw of a slick side-operated cocking bolt.

Combining fast-handling ergonomics, a recoilless firing cycle and match-like adjustable trigger, accuracy is further assured via the Concept-Lite's high-grade shrouded barrel which ensures that even at its peak power output of 40 ft/lb, the Concept-Lite performs to a level that satisfies the most demanding of airgun shooters.



Concept-Lite fitted with an array of optional extras

HUMA-AIR
REGULATED

Technical Specifications

Action:	Semi-bullpup precharged pneumatic (PCP)
Maximum power:	Models available at 12, 18, 30 and 40ft/lb
Shots per charge:	Up to 130 shots .22cal 12 ft/lb; 40 shots .22cal 30 ft/lb; 28 shots .25cal 40 ft/lb
Length:	33ins (838mm)
Weight:	6.5lbs (3.9kg)
Calibre Options:	.177 (4.5mm); .22 (5.5mm) or .25 (6.35mm)

Latest and full specifications available at brocock.co.uk

*Scope, mounts, silencer and bipod are not included, but are available from MTC Optics/Brocock stockists



BANTAM MAGNUM



Ballistic Polymer stock with adjustable cheekpiece

11mm dovetail with optional 20mm Picatinny rail

Sidebolt cocking

Huma-Air Regulator with integral manometer

Adjustable two-stage trigger

5-position power adjuster

Integral silencer with threaded muzzle

10-shot auto indexing mag-feed or single-shot feed (magazine and loading tray provided)

480cc carbon-fibre bottle (Hi-Lite model) or 500cc alloy bottle (400cc on 12 ft/lb model)

Picatinny Forend Rail

Resettable safety catch

40 ins (1016 mm)

As its name suggests, Brocock's Bantam Magnum is the high-power variant of the flagship semi-bullpup range: The Magnum delivers up to 55 ft/lb of muzzle energy, making it the first choice for those who hunt larger game and vermin at challenging distances.

Equipped with an exclusive Huma-Air regulator that's been specially tuned for the rifle's extra power output, the Magnum benefits from all the attributes of the regulated Sniper HR model – improved shot-count and shot consistency. These advantages are further harnessed by way of a longer (560mm) polygonal rifled barrel to ensure pinpoint precision even at extreme distances.

Maintaining all the features of the Bantam Mk2 – like the on-the-fly power adjuster, removable 10-shot magazine, updated hammer/valve system, adjustable trigger and integral shrouded silencer – the Bantam Magnum is fitted with a lighter weight carbon-fibre buddy bottle and can be supplied in either .22 or .25 calibre with a choice of two stock options: Black Ballistic Polymer or Grey Laminated woodwork.



Technical Specifications

Action:	Semi-bullpup precharged pneumatic (PCP)
Maximum power:	Models available at 46ft/lb (.22) and 55ft/lb (.25)
Shots per charge:	Up to 60 shots in .22 cal @ 46ft/lb or .25 55ft/lb
Length:	From 40ins (1016mm)
Weight:	From 7.7lbs (3.5kg)
Calibre Options:	.22 (5.5mm) or .25 (6.35mm)

Latest and full specifications available at brocock.co.uk

*Scope and mounts are not included, but are available from MTC Optics/Brocock stockists

BROCOCK

PATAGONIA



Removable 10-shot magazine

20mm Picatinny scope mounting rails with optional 11mm dovetail

Sidebolt cocking

Huma-Air Regulator with integral manometer

Adjustable two-stage trigger

5-position power adjuster



Ballistic Polymer 'Sand colour' Cerakote stock with adjustable cheekpiece

Optional 0dB silencer with threaded muzzle

480cc carbon-fibre bottle (Hi-Lite model) or 500cc alloy bottle

Resettable safety catch

Picatinny Forend Rail

10-shot auto indexing mag-feed or single-shot feed (magazine and loading tray provided)

40ins (1016mm)

Developed exclusively for the prestigious Extreme Benchrest Competition held annually in Arizona USA and at which in 2018 it took top spot, the 'Patagonia' model raises the bar of Brocock's flagship Bantam semi-bullpup even further. Recreated to the specification of the Championship-winning rifle shot by Patagonian shooter, Claudio Flores. The Patagonia brings proven custom performance to the discerning target shooter who wants results on the range. It is, quite literally, a benchmark air rifle.

While it retains the Bantam's highly-advanced Huma-Air regulator, that fitted in the production Patagonia has been individually tuned to match its more powerful action which, with a specially selected (560mm) polygonal rifle barrel, can deliver up to 46 ft/lb of energy in a .22 configuration and 55 ft/lb in .25.

Despite these monster power levels, the usual 'power curve' that unregulated PCPs suffer from has been eradicated as the Huma-Air regulator's measured air control ensures minimal shot-to-shot deviation throughout the charge. While that's an essential for any target-orientated rifle, such attributes also make the Patagonia a strong contender for serious hunters who want to combine high-end power with match-like accuracy when controlling game and vermin out to extreme distances. Its integral shrouded silencer brings a further sporting element to a rifle that's already proven itself under the most demanding range conditions.

Retaining all the main features of the flagship Bantam model, Brocock's Bantam Patagonia comes in an eye-catching two-tone finish in either .22 or .25 calibre.



Technical Specifications

Action: Semi-bullpup precharged pneumatic (PCP)

Maximum power: Models available at 46ft/lb (.22) and 55ft/lb (.25) (on 'Hi' power setting)

Shots per charge: Up to 60 shots in .22 cal @ 46ft/lb or .25 55ft/lb

Length: From 40ins (1016mm)

Weight: From 7.7lb (3.5kg)

Calibre Options: .22 (5.5mm) or .25 (6.35mm)

Latest and full specifications available at brocock.co.uk

*Scope, mounts and silencer are not included, but are available from MTC Optics/Brocock stockists